## Marine Department Notice No. 68 of 2016

(Statutory Requirements and Related Information)

## Acceptance of Towing Voyage Survey Conducted by Non-Government Surveyors

NOTICE IS HEREBY GIVEN that the arrangement in conducting towing voyage surveys for issuing port clearance has been adopted by the Marine Department, as described in the following paragraphs.

- 2. For issuing port clearance to a non self-propelled vessel leaving Hong Kong to other areas/countries under tow, the tug and tow are required to undergo a towing voyage survey conducted by a non-government surveyor. The purpose of this towing voyage survey is to ensure that the vessel and the towing arrangement are fit for the intended voyage.
- 3. With a view to allowing ship owners in choosing non-government professional bodies to survey their vessels, it is decided that towing voyage surveys conducted by Marine Department recognized organizations (<a href="http://www.mardep.gov.hk/en/pub\_services/surveycs.html">http://www.mardep.gov.hk/en/pub\_services/surveycs.html</a>) and Authorized Surveyors appointed under the Merchant Shipping (Local Vessels) Ordinance (<a href="http://www.mardep.gov.hk/en/pub\_services/ocean/lvs.html">http://www.mardep.gov.hk/en/pub\_services/ocean/lvs.html</a>) would be accepted for issuing port clearance to vessels under tow leaving Hong Kong.
- 4. Taking into account that there are substantial differences in risk levels, competence and technical support requirements in conducting surveys between vessels engaging on short coastal towage and ocean towage, the following acceptance criteria are adopted:
  - (a) for <u>short distance coastal towing voyages</u> to Mainland ports within Chinese waters extending from Guangxi to Xiamen (including Macau), surveys conducted by <u>either a surveyor of a recognized organization or an "Authorized Surveyor" can be accepted;</u>
  - (b) for **long distance coastal towing voyages** to Mainland ports outside (a) above and **ocean towing voyages** to other countries, <u>only surveys conducted by a surveyor of a recognized organization will be accepted.</u>
- 5. To ensure that the survey by these professional bodies can adequately cover the safety of the tug and tow for the intended voyage, the attending surveyor is required to:
  - (a) complete a declaration with a checklist (a copy is attached at Annex 1) for voyages prescribed in paragraph 4(a) above, or
  - (b) issue an appropriate recognized organization survey report for voyages prescribed in paragraph 4(b) above.
- 6. To facilitate the survey for short distance coastal towing voyages, guidance notes are provided at Annex 2. For long distance coastal and ocean towage, surveyors of the recognized organization are required to take into account the guidance provided in IMO circular MSC Circ. 884, and any relevant requirements of the recognized organization in respect of vessels involved in towing.

- 7. To apply for port clearance for a towing voyage, the Master of the tug is required to submit a completed application form (a copy is attached at Annex 3), together with the declaration or survey report issued by the attending surveyor, to the Licensing and Port Formalities Section of the Marine Department.
- 8. For enquires, please contact the Passenger Ships Safety Section, 24/F Harbour Building, 38 Pier Road, Central, Hong Kong, telephone number 2852 4500, facsimile number 2545 0556, email: <a href="mailto:sspax@mardep.gov.hk">sspax@mardep.gov.hk</a>.
- 9. Marine Department Notice No. 56 of 2007 is hereby revoked.

Maisie CHENG
Director of Marine

Marine Department Government of the HKSAR Date: 31 May 2016

Action file ref.: SD/S 117/1/1

To: Director of Marine

Hong Kong Marine Department

c/o: Master of Towing Vessel named below

# **Declaration of Survey for Towing Voyage**

	Port / country* of Licence / Registration* of Towing Vessel	:		
	Name of Towing Vessel : L	icence / Registration No	0	
	Name of Vessel(s) being towed :Li	icence / Registration No		
	Name of Vessel(s) being towed :Li			
No.	Survey Items for <u>Towing Vessel</u>	Y/N	Remark ( If any )	
1	Valid certificates/licences for towing vessel for the intended voya	ge		
2	Valid certificates/licences for Master, Engineer			
3	Updated nautical charts for the intended voyage			
4	Appropriate navigational lights, shapes & radio equipment in wor	king condition		
5	Appropriate fire-fighting & lifesaving appliances in working condition			
6	Towing & emergency/spare towing gear and arrangement in working condition			
7	Sufficient fuel for the intended voyage			
	Survey Items for <u>Vessel(s)</u> being towed			
8	Vessels(s) are seaworthy for the intended voyage			
9	Drafts of vessels are checked with adequate intact stability			
10	Appropriate navigation lights and shapes in working condition			
11	Sufficient battery capacity for navigational lights for the intended voyage			
12	Spare light bulbs for navigating lights available			
13	Closing arrangement for deck openings in satisfactory condition and secured properly			
14	Cargo, equipment & store are properly secured			
15	Equipped with anchor for emergency use			
16	Boarding facilities are properly rigged on the tow			
Not	e: All check boxes should be filled as appropriate			
car	e undersigned declares that the towing voyage survey coveried out and found satisfactory.  Is recommended that Port Clearance be issued to the sumark ( if any )	_		
		ation No./Name of recogniz	red organization)	
* de	elete where not applicable	Date :		

## **Guidance Notes on Survey Checklist for Towing Voyage**

These guidance notes are for general guidance only and are not conclusive. The attending surveyor should exercise his professional knowledge and judgment in conducting the survey. Where necessary, survey notes should be recorded against individual survey items:-

No.	Survey Items for <u>Towing Vessel</u>	Guidance Notes
1	Valid certificates/licences for towing vessel for the intended voyage.	Check validity of vessel's certificates/licences, and note down all information on issued date, expiry date, issuing organization etc. If the tug is registered in Hong Kong or holds a valid Hong Kong Licence for the intended voyage, inspection for the tug is not required.
2	Valid certificates/licences for Master, Engineer.	Check validity of Master/Engineer's certificate/licence. Note down the name of certificate holder and number, issue date and validity date etc and also entered in "remark column" the name of certificate holder and number.
3	Updated nautical charts for the intended voyage.	Check availability and updating of all charts that would be used for the towing operation. Information on updated charts are available at following web-sites:- <a href="http://www.ukho.gov.uk/nmwebsearch/">http://www.ukho.gov.uk/nmwebsearch/</a> for Admiralty Charts <a href="http://www.hydro.gov.hk/product/ntm.htm">http://www.hydro.gov.hk/product/ntm.htm</a> for Hong Kong Charts <a href="http://hydro.ngd.gov.cn/chartdaili.aspx">http://hydro.ngd.gov.cn/chartdaili.aspx</a> for Chinese Charts

-

To: Licensing and Port Formalities Section Hong Kong Marine Department Harbour Building 38 Pier Road, Central HONG KONG

Tel: 2852 3080 Fax:2545 1535

### **Application for Port Clearance on Towing Voyage**

(To be completed/confirmed by Towing Master)

Name of Towing Vessel :	License / Registration No
Name of Vessel(s) being towed :	License / Registration No
Name of Vessel(s) being towed :	License / Registration No
Particulars of towing voyage	
Destination :	
Estimated time/date of Departure :	Estimated time/date of Arrival :
No. of hours required for Towing :	Fuel required for the voyage :
	for Towing Voyage/Survey report*" in connection with subject for vessels engaged in Towing Operations have been read and with the same.
Signed : Towing Master	
M.V	Date :
( Towing Vessel with stamp )	

#### Recommendations for vessels engaged in Towing Operations

- (1) Towing Master should ensure navigation lights or shapes are properly displayed to indicate the towing operation.
- (2) The voyage should proceed only when there is a favorable weather forecast. Towing Master should be aware of the onset of bad weather particularly in respect of arrangements for heaving to or taking shelter.
- (3) The vessel being towed should remain unmanned, except in emergency, for the duration of the voyage.
- (4) Proper look out under the International Regulations for Preventing Collisions at Sea 1972, as amended (Rule 5) should be maintained .
- (5) When appropriate the rudder of the vessel being towed should be secured in the amidships position and measures are to be taken to prevent the propeller shaft from turning.
- (6) To reduce the risk of pollution, the amount of oil carried on the tow should be limited to what is required for the safety of the tow and for its normal operation.